




# POSTING EQUIPMENT



FOR EVERY BUSINESS NEED



MEAD-LEE *Associates, inc.*

SOLE DISTRIBUTORS FOR

POSTING EQUIPMENT *Corporation*

BUFFALO 7, N. Y.

# *Our Policy*

**TO PRODUCE...** equipment of the highest quality and uniformity — to purchase raw materials from recognized manufacturers in the best qualities and finishes obtainable — to subject both raw materials and the finished products to the most rigid inspection.

**TO SELL...** through a selected group of recognized Stationery, Office Equipment dealers and specialists in this field who prefer to offer quality products to the ultimate consumer — to aid the dealer in every possible way to sell profitably the products we manufacture.

**TO DELIVER...** our products in properly designed shipping containers, thus lessening the possibility of damage in transit.

**TO GUARANTEE...** every product we sell — a full refund will be made on any product which the customer deems to be unsatisfactory — our rigid control of the manufacture and inspection make this possible — A SATISFIED CUSTOMER IS OUR MOST EARNEST DESIRE !

# General Information

**PRICES—** All prices are LIST prices — delivery terms are F.O.B. BUFFALO, NEW YORK. These prices and specifications are subject to change without notice and all orders will be accepted with the understanding that invoices will be rendered at prices prevailing at the time of shipment.

**TERMS—** 2% discount if paid within 10 days; 30 days net.

**ROUTING—** In the absence of specific instructions we will use our best judgement as to route and carrier; rail freight, motor freight, express or parcel post.

**PARCEL POST—** Unless otherwise instructed, shipments made by parcel post will be insured. Items thus insured will be replaced if lost or damaged; we cannot assume responsibility for uninsured shipments. Because of postal limitations on sizes and weights only our smaller items can be shipped by parcel post.


**DAMAGES—** Our liability for any shipment ends with our receipt or bill of lading from the transportation company indicating the shipment was accepted IN PERFECT CONDITION — consignees should file their claims for lost or damaged shipments with the transportation company.

**RETURNS—** No merchandise will be accepted without our permission. Before returning merchandise notify us stating items, reason for return and wait our approval. A service charge will be made for the expenses incurred in preparing the items for resale. SPECIALS NOT SUBJECT TO RETURN.

**GUARANTEE—** The P.E.C. trade mark guarantees every POSTING EQUIPMENT CORPORATION product to be free from imperfections. Any item which may be found defective either in material or workmanship will gladly be repaired or replaced without charge.

POSTING EQUIPMENT FOR  
**IBM<sup>\*</sup> 6400**  
ACCOUNTING MACHINES

\*A REGISTERED TRADE MARK OF INTERNATIONAL BUSINESS MACHINES CORPORATION



**PEC-TRONIC**  
POSTING TRAYS



**MEAD-LEE ASSOCIATES, INC.**

BUFFALO 7, NEW YORK

• SOLE DISTRIBUTORS FOR POSTING EQUIPMENT CORPORATION



PEC-TRONIC trays are designed for use with IBM 6400 Accounting Equipment to house magnetic stripe ledger cards. Operating on a tilt plate principle, the sheet body is supported and the weight distributed in compartments. Each compartment has a capacity of  $2\frac{1}{4}$ ", and will contain approximately 180 ledger cards, which can be readily removed for posting. Sheets are held at the proper reference angle by the tilting support plates. Since these plates are removable and can be spaced in increments of  $1\frac{1}{8}$ ", space adjustments can be made when necessary.

#### **Construction Features:**

Electronically welded prime furniture steel, reinforced at vital points to withstand the strain of heavy forms and indexes.

Full side walls for maximum sheet protection — stainless steel trim on side edges where tilt plates are supported.

Full hardened steel tilt plates with exclusive lock-in feature — adjustable in  $1\frac{1}{8}$ " increments.

Greater filing capacity in relation to overall length.



Pec-Tronic tray on an adjustable height stand

Front and rear ends drop to form a proper posting or reference V — automatically stays open at point of reference.

Lifetime "Scotch" friction strips prevent sheet body from slipping and closing up working space.

Full length rubber runners.

Finished in Charcoal Gray Wrinkle baked enamel.

## **HANDI-MATIC TRAY**

It's automatic in action! Open the covers and the "wings" automatically spread to form a non-tipping easel — close the covers and the "wings" retract.


A hinged steel strap with positive clawbolt latch holds tray securely closed and serves as a carrying handle.

Ideal for the smaller installation where original hard copies are transported to service centers for processing.

All steel welded construction. Lifetime "Scotch" Friction strips on inside bottom of tray to prevent forms from slipping.

Attractive Charcoal Gray Wrinkle finish. Label holder identifies contents.





## DROP FRONT FILING DRAWER STAND

A good companion to the Pec-Tronic tray, this stand also operates on a tilt plate principle, compartmentalized the same as the Pec-Tronic tray with tilt plates holding the sheets at the proper angle. The exclusive drop front construction makes it possible for an operator to conveniently post directly from the drawer. This creates a two tier unit, saving valuable floor space.

Heavily constructed and reinforced throughout, this unit has FULL EXTENSION ball bearing slides to support a heavy sheet body. Equipped with two fixed and two swivel heavy duty 3" ball bearing plate style casters for mobility —can also be furnished with four swivel casters on request.

A foot support is provided to prevent the drawer from tipping when fully extended.

The drawer automatically latches when closed and can be released by a slight downward pressure on the front handle, which also tilts the front forward. A keyed lock is standard equipment.

Finished in Charcoal Gray Wrinkle.

**NOTE:** These filing drawer stands can also be supplied with conventional heavy duty ratchet follower, inclined at an 18° angle to form a posting or reference V. Assembled to order only—see price list.



### STYLE "PB" ADJUSTABLE STANDS (20" TO 30" HIGH)

#### ... with these plus features !

- Charcoal Gray Wrinkle.
- Legs of flanged steel construction for rigidity and smart appearance.
- Solid steel tops and bottoms for added strength.
- 2 1/2" heavy-duty hard rubber swivel casters with soft tread for all types of flooring.
- Adjustable in height — 20" to 30" in increments of one inch.

### STYLE "PB" FIXED HEIGHT STANDS

Same plus features as above.  
20" non-adjustable height.

**NOTE:** Both adjustable and Fixed Height "B" style stands are equipped with 2 1/2" casters. If these stands are to be moved daily between vault and posting or reference area, we would highly recommend heavy duty 4" ball bearing casters. (at additional charge — see price list)



### INDEXES

Offering these "plus" features:

- Angular metal tabs — 25 point gray pressboard.
- Extra piece of Pressboard without tab, to protect rear record sheet.
- Strip of blank inserts with celluloid facings included in each A to Z set.
- One set to a shelf box.

## POSTING TRAYS

LENGTH — 18  $\frac{3}{8}$ " at bottom — 19  $\frac{5}{8}$ " at top (including flanged handles)  
 CAPACITY — 1400 magnetic stripe ledger sheets  
 TILT PLATES — 7 per tray (providing eight 2  $\frac{1}{4}$ " compartments)

Stock No.	Sheet Size		Width Inside	Height Outside	CHOICE OF STANDS (see below)		
	Width	Height			Drop Front Filing Drawer Stand	Adjustable height stand (20" to 30")	Standard Stand Fixed 20" height
IBM-611-18	6"	11"	6 $\frac{1}{4}$ "	7"	12 $\frac{1}{2}$ "	PF-8518-IBM	PB-85-IBM
IBM-851-18	8 $\frac{1}{2}$ "	11"	8 $\frac{3}{4}$ "	9 $\frac{1}{2}$ "	12 $\frac{1}{2}$ "	PF-8518-IBM	PB-85-IBM
IBM-111-18	11"	11"	11 $\frac{1}{4}$ "	12"	12 $\frac{1}{2}$ "	PF-1218-IBM	PB-85-IBM
IBM-141-18	14"	11"	14 $\frac{1}{4}$ "	15"	12 $\frac{1}{2}$ "	PF-1418-IBM	PB-12-IBM
IBM-143-18	14"	13"	14 $\frac{1}{4}$ "	15"	14 $\frac{1}{2}$ "	—	PB-12-IBM

LENGTH — 25  $\frac{1}{8}$ " at bottom — 26  $\frac{3}{8}$ " at top (including flanged handles)

CAPACITY — 2000 magnetic stripe ledger sheets

TILT PLATES — 10 per tray (providing eleven 2  $\frac{1}{4}$ " compartments)

Stock No.	Sheet Size		Width Inside	Height Outside	CHOICE OF STANDS (see below)		
	Width	Height			Drop Front Filing Drawer Stand	Adjustable height stand (20" to 30")	Standard Stand Fixed 20" height
IBM-611-24	6"	11"	6 $\frac{1}{4}$ "	7"	12 $\frac{1}{2}$ "	PF-8524-IBM	PB-25-IBM
IBM-851-24	8 $\frac{1}{2}$ "	11"	8 $\frac{3}{4}$ "	9 $\frac{1}{2}$ "	12 $\frac{1}{2}$ "	PF-8524-IBM	PB-25-IBM
IBM-111-24	11"	11"	11 $\frac{1}{4}$ "	12"	12 $\frac{1}{2}$ "	PF-1224-IBM	PB-25-IBM
IBM-141-24	14"	11"	14 $\frac{1}{4}$ "	15"	12 $\frac{1}{2}$ "	PF-1424-IBM	PB-26-IBM
IBM-143-24	14"	13"	14 $\frac{1}{4}$ "	15"	14 $\frac{1}{2}$ "	—	PB-26-IBM

## DROP FRONT FILING DRAWER STAND

FIXED HEIGHT 20" — 3" ball bearing plate style casters\*\*

TILT PLATES — 7 in 19  $\frac{3}{8}$ " drawer

10 in 25  $\frac{3}{8}$ " drawer

## POSTING STANDS

Stock No.	Overall Width	Overall Length	Sheet Size*		Capacity	For Tray No.
			Width	Height		
PF-8518-IBM	12 $\frac{3}{4}$ "	19 $\frac{3}{8}$ "	up to 8 $\frac{1}{2}$ "	x 12"	1400 sheets	IBM-611-18 & IBM-851-18
PF-1218-IBM	16 $\frac{1}{4}$ "	19 $\frac{3}{8}$ "	up to 12"	x 12"	1400 sheets	IBM-111-18
PF-1418-IBM	18 $\frac{1}{4}$ "	19 $\frac{3}{8}$ "	up to 14"	x 12"	1400 sheets	IBM-141-18
PF-8524-IBM	12 $\frac{3}{4}$ "	25 $\frac{3}{8}$ "	up to 8 $\frac{1}{2}$ "	x 12"	2000 sheets	IBM-611-24 & IBM-851-24
PF-1224-IBM	16 $\frac{1}{4}$ "	25 $\frac{3}{8}$ "	up to 12"	x 12"	2000 sheets	IBM-111-24
PF-1424-IBM	18 $\frac{1}{4}$ "	25 $\frac{3}{8}$ "	up to 14"	x 12"	2000 sheets	IBM-141-24

\*Room for 1/2" extension index tab

\*\*Two fixed and two swivel casters are standard equipment. Four swivel casters can be furnished on request, at same price.

## ADJUSTABLE HEIGHT (20" to 30") STYLE "PB" STAND

2  $\frac{1}{2}$ " casters (If these stands are to be moved daily between vault and posting or reference area heavy duty 4" ball bearing casters are recommended — see Price List)

Stock No.	Overall Width	Overall Length	For Tray No.	
			Width	Length
PB-85-IBM	12 $\frac{1}{2}$ "	19 $\frac{1}{4}$ "	IBM-611-18, IBM-851-18 and IBM-111-18	
PB-12-IBM	15 $\frac{1}{4}$ "	19 $\frac{1}{4}$ "	IBM-141-18 and IBM-143-18	
PB-25-IBM	12 $\frac{1}{2}$ "	26 $\frac{1}{2}$ "	IBM-611-24, IBM-851-24 and IBM-111-24	
PB-26-IBM	15 $\frac{1}{4}$ "	26 $\frac{1}{2}$ "	IBM-141-24 and IBM-143-24	

## FIXED HEIGHT (20") STYLE "PB" STAND

2  $\frac{1}{2}$ " casters (If these stands are to be moved daily between vault and posting or reference area heavy duty 4" ball bearing casters are recommended — see Price List)

Stock No.	Overall Width	Overall Length	For Tray No.	
			Width	Length
PB-85-20-IBM	12 $\frac{1}{2}$ "	19 $\frac{1}{4}$ "	IBM-611-18, IBM-851-18 and IBM-111-18	
PB-12-20-IBM	15 $\frac{1}{4}$ "	19 $\frac{1}{4}$ "	IBM-141-18 and IBM-143-18	
PB-25-20-IBM	12 $\frac{1}{2}$ "	26 $\frac{1}{2}$ "	IBM-611-24, IBM-851-24 and IBM-111-24	
PB-26-20-IBM	15 $\frac{1}{4}$ "	26 $\frac{1}{2}$ "	IBM-141-24 and IBM-143-24	

## INDEXES

### ANGULAR METAL TABS

25 point Gray Pressboard —  
25 Division A to Z\*

Stock No.	Sheet Size
611-25	6" x 11"
8511-25	8 $\frac{1}{2}$ " x 11"
1111-25	11" x 11"
1411-25	14" x 11"
1413-25	14" x 13"

\*Can be furnished in larger sub-divisions (see Price List)

As these indexes are furnished with an EXTRA strip of blank inserts and celluloid facings, they can be easily converted to a numerical system simply by typing the blanks in the sequence desired.

## HANDI-MATIC TRAYS

Capacity in Ledger Cards  
3" = 200 cards and index  
6" = 400 cards and index

Stock No.	Sheet Size	Capacity
IBM-611-3	6" x 11"	3"
IBM-611-6	6" x 11"	6"
IBM-85-3	8 $\frac{1}{2}$ " x 11"	3"
IBM-85-6	8 $\frac{1}{2}$ " x 11"	6"
IBM-111-3	11" x 11"	.3"
IBM-111-6	11" x 11"	6"
IBM-141-3	14" x 11"	3"
IBM-141-6	14" x 11"	6"
IBM-143-3	14" x 13"	3"
IBM-143-6	14" x 13"	6"



CABLE ADDRESS: POSTECO

**M E A D - L E E** *Associates, inc.*  
sole distributors for **POSTING EQUIPMENT** corporation

1721 ELMWOOD AVENUE • BUFFALO 7, NEW YORK  
TELEPHONE TR 7-1185 Area Code 716

**PEC-TRONIC POSTING TRAYS**

**PRICE LIST No. PL-64**

**SEPTEMBER 15, 1963**

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
IBM-611-18	\$50.00	28 lbs.
IBM-851-18	51.00	30 lbs.
IBM-111-18	53.00	31 lbs.
IBM-141-18	55.00	32 lbs.
IBM-143-18	60.00	35 lbs.
IBM-611-24	55.00	35 lbs.
IBM-851-24	56.00	37 lbs.
IBM-111-24	58.00	38 lbs.
IBM-141-24	60.00	39 lbs.
IBM-143-24	65.00	44 lbs.

**DROP FRONT FILING DRAWER STANDS**

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PF-8518-IBM	\$105.00	62 lbs.
PF-1218-IBM	105.00	67 lbs.
PF-1418-IBM	110.00	70 lbs.
PF-8524-IBM	110.00	75 lbs.
PF-1224-IBM	115.00	79 lbs.
PF-1424-IBM	120.00	85 lbs.

**NOTE:** These filing drawer stands can also be supplied with conventional heavy duty ratchet follower inclined at an 18° angle to form a posting or reference V. Assembled to order only. At same prices above.

**ADJUSTABLE HEIGHT STYLE "PB" STANDS (20" to 30")**

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PB-85-IBM	\$38.00	23 lbs.
PB-12-IBM	40.00	26 lbs.
PB-25-IBM	47.00	30 lbs.
PB-26-IBM	49.00	33 lbs.

**NOTE:** For stands equipped with 4" heavy duty ball bearing casters add \$10.00 to above prices.

## FIXED HEIGHT STYLE "PB" STANDS (20")

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PB-85-20-IBM	\$32.00	20 lbs.
PB-12-20-IBM	34.00	24 lbs.
PB-25-20-IBM	41.00	24 lbs.
PB-26-20-IBM	43.00	27 lbs.

**NOTE:** For stands equipped with 4" heavy duty ball bearing casters  
add \$10.00 to above prices.

## INDEXES 25 DIVISION A-Z\*

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
611-25	\$ 8.50	3 lbs.
8511-25	8.50	3 1/2 lbs.
1111-25	10.00	4 3/4 lbs.
1411-25	16.00	6 1/2 lbs.
1413-25	18.00	8 lbs.

\*Can be supplied in larger sub-divisions in multiples of 25—for 50 divisions, multiply prices by two; 75 divisions, by three; 100 divisions, by four; etc. (for special sizes, Daily 1 to 31, state, etc. see Special Price List).

## SPECIAL SIZE PEC-TRONIC TRAYS — (Write for prices)

## HANDI-MATIC TRAYS

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
IBM-611-3	\$25.00	6 lbs.
IBM-611-6	26.00	7 lbs.
IBM- 85-3	26.50	7 lbs.
IBM- 85-6	27.50	8 lbs.
IBM-111-3	30.00	8 1/2 lbs.
IBM-111-6	32.00	9 1/2 lbs.
IBM-141-3	34.00	10 1/2 lbs.
IBM-141-6	36.00	12 lbs.
IBM-143-3	35.00	13 lbs.
IBM-143-6	37.00	15 lbs.


ALL PRICES F.O.B. BUFFALO, N. Y.

*All Prices Subject to Change Without Notice*

Printed in U.S.A.

**P.E.C.**

POSTING EQUIPMENT  
for  
ELECTRONIC  
BOOKKEEPING MACHINES



**PEC-TRONIC**  
POSTING TRAYS



**MEAD-LEE *Associates*, INC.**

BUFFALO 7, NEW YORK

SOLE DISTRIBUTORS FOR POSTING EQUIPMENT CORPORATION

# PEC-TRONIC

LEDGER TRAYS FOR  
ELECTRONIC  
BOOKKEEPING MACHINES



PEC-TRONIC trays are designed for use with electronic bookkeeping machines — to house magnetic stripe ledger forms.

Operating on a tilt plate principle, the sheet body is supported and the weight distributed in compartments. Each compartment has a capacity of  $2\frac{1}{4}$ ", and will contain approximately 275 ledger forms, which can be readily removed for batch posting. Sheets can be returned to the tray in spaces reserved for that purpose. The remaining sheets (a greater percentage) are available for reference without disturbing the machine operator. Sheets are held at the proper reference angle by the tilting support plates. Since these plates are removable and can be spaced in increments of  $1\frac{1}{8}$ ", space adjustments can be made when necessary.

As a companion piece, the new and exclusive drop front filing drawer stand is available (see opposite page).

## Construction Features:

Electronically welded prime furniture steel, reinforced at vital points to withstand the strain of heavy forms and indexes.

Full side walls for maximum sheet protection—stainless steel trim on side edges where tilt plates are supported.

Full hardened steel tilt plates with exclusive lock-in feature — adjustable in  $1\frac{1}{8}$ " increments.

Greater filing capacity in relation to overall length.

Front and rear ends drop to form a proper posting or reference V — automatically stays open at point of reference.


Lifetime "Scotch" friction strips prevent sheet body from slipping and closing up working space.

Full length rubber runners.


Finished in scratch resisting TUSCAN TAN baked enamel.



Pec-Tronic tray on an adjustable height stand — Note the reserved space in the tray for returned sheets.



Pec-Tronic tray in closed position — on a fixed 20" height stand.



## DROP FRONT FILING DRAWER STAND

A good companion to the Pec-Tronic tray, this stand also operates on a tilt plate principle, compartmentalized the same as the Pec-Tronic tray with tilt plates holding the sheets at the proper angle. The exclusive drop front construction makes it possible for an operator to conveniently post directly from the drawer. This creates a two tier unit, saving valuable floor space.

Heavily constructed and reinforced throughout, this unit has FULL EXTENSION ball bearing slides to support a heavy sheet body. Equipped with two fixed and two swivel heavy duty 3" ball bearing plate style casters for mobility —can also be furnished with four swivel casters on request.

A foot support is provided to prevent the drawer from tipping when fully extended.

The drawer automatically latches when closed and can be released by a slight downward pressure on the front handle, which also tilts the front forward. A keyed lock is standard equipment.

Finished in scratch resisting TUSCAN TAN baked enamel.

**NOTE:** These filing drawer stands can also be supplied with conventional heavy duty ratchet follower, inclined at an 18° angle to form a posting or reference V. Assembled to order only—see price list.

### STYLE "B" ADJUSTABLE STANDS (20" TO 30" HIGH)


#### ... with these plus features !

- Scratch-resisting metallic tan finish.
- Legs of flanged steel construction for rigidity and smart appearance.
- Solid steel tops and bottoms for added strength.
- 2 1/2" heavy-duty hard rubber swivel casters with soft tread for all types of flooring.
- Adjustable in height — 20" to 30" in increments of one inch.

### STYLE "B" FIXED HEIGHT STANDS

Same plus features as above.  
20" non-adjustable height.

**NOTE:** Both adjustable and Fixed Height "B" style stands are equipped with 2 1/2" casters.  
If these stands are to be moved daily between vault and posting or reference area, we would highly recommend heavy duty 4" ball bearing casters. (at additional charge — see price list)



### INDEXES

Offering these "plus" features:

- Angular metal tabs — 25 point gray pressboard.
- Extra piece of Pressboard without tab, to protect rear record sheet.
- Strip of blank inserts with celluloid facings included in each A to Z set.
- One set to a shelf box.

## POSTING TRAYS

LENGTH — 18  $\frac{3}{8}$ " at bottom — 19  $\frac{5}{8}$ " at top (including flanged handles)  
 CAPACITY — 2200 magnetic stripe ledger sheets  
 TILT PLATES — 7 per tray (providing eight 2  $\frac{1}{4}$ " compartments)

Stock No.	Sheet Size Width Height	Width Inside Outside	Height Outside	CHOICE OF STANDS (see below)		
				Drop Front Filing Drawer Stand	Adjustable height stand (20" to 30")	Standard Stand Fixed 20" height
PEC-1210-18	12" x 10 $\frac{1}{8}$ "	12 $\frac{1}{4}$ " 13"	11 $\frac{3}{4}$ "	PF-1218	PB-85	PB85-20
PEC-1311-18	13" x 11"	13 $\frac{1}{4}$ " 14"	12 $\frac{1}{2}$ "	PF-1418	PB-12	PB12-20
PEC-1411-18	14" x 11"	14 $\frac{1}{4}$ " 15"	12 $\frac{1}{2}$ "	PF-1418	PB-12	PB12-20

LENGTH — 25  $\frac{1}{8}$ " at bottom — 26  $\frac{3}{8}$ " at top (including flanged handles)  
 CAPACITY — 3000 magnetic stripe ledger sheets  
 TILT PLATES — 10 per tray (providing eleven 2  $\frac{1}{4}$ " compartments)

Stock No.	Sheet Size Width Height	Width Inside Outside	Height Outside	CHOICE OF STANDS (see below)		
				Drop Front Filing Drawer Stand	Adjustable height stand (20" to 30")	Standard Stand Fixed 20" height
PEC-1210-24	12" x 10 $\frac{1}{8}$ "	12 $\frac{1}{4}$ " 13"	11 $\frac{3}{4}$ "	PF-1224	PB-25	PB25-20
PEC-1311-24	13" x 11"	13 $\frac{1}{4}$ " 14"	12 $\frac{1}{2}$ "	PF-1424	PB-26	PB26-20
PEC-1411-24	14" x 11"	14 $\frac{1}{4}$ " 15"	12 $\frac{1}{2}$ "	PF-1424	PB-26	PB26-20

SPECIAL SIZES CAN BE FURNISHED (see Price List)

## POSTING STANDS

### DROP FRONT FILING DRAWER STAND

FIXED HEIGHT 20" — 3" ball bearing plate style casters\*\*

TILT PLATES — 7 in 19  $\frac{5}{8}$ " drawer

10 in 25  $\frac{3}{8}$ " drawer

Stock No.	Overall Width	Overall Length	Sheet Size*	Capacity	For Tray No.
PF-1218	16 $\frac{1}{4}$ "	19 $\frac{5}{8}$ "	up to 12" x 12"	1900 sheets	PEC-1210-18
PF-1418	18 $\frac{1}{4}$ "	19 $\frac{5}{8}$ "	up to 14" x 12"	1900 sheets	PEC-1311-18 PEC-1411-18
PF-1224	16 $\frac{1}{4}$ "	25 $\frac{3}{8}$ "	up to 12" x 12"	2700 sheets	PEC-1210-24
PF-1424	18 $\frac{1}{4}$ "	25 $\frac{3}{8}$ "	up to 14" x 12"	2700 sheets	PEC-1311-24 PEC-1411-24

### OTHER SIZES AVAILABLE

Stock No.	Overall Width	Overall Length	Sheet Size*	Capacity	For Tray Styles
PF-8518	12 $\frac{1}{4}$ "	19 $\frac{5}{8}$ "	up to 8 $\frac{1}{2}$ " x 12"	1900 sheets	Duo-Matic, Porta-Matic, Tilt-O-Matic, Expandi-Matic Presto
PF-8524	12 $\frac{1}{4}$ "	25 $\frac{3}{8}$ "	up to 8 $\frac{1}{2}$ " x 12"	2700 sheets	
PF-1518	19 $\frac{1}{4}$ "	19 $\frac{5}{8}$ "	up to 15" x 12"	1900 sheets	
PF-1718	21 $\frac{1}{4}$ "	19 $\frac{5}{8}$ "	up to 17" x 12"	1900 sheets	

\*Room for 1/2" extension index tab

\*\*Two fixed and two swivel casters are standard equipment. Four swivel casters can be furnished on request, at same price.

### ADJUSTABLE HEIGHT (20" to 30") STYLE "B" STAND

2 1/2" casters (If these stands are to be moved daily between vault and posting or reference area  
heavy duty 4" ball bearing casters are recommended — see Price List)

Stock No.	Overall Width	Overall Length	For Tray No.	Skeleton Construction
PB-85	12 $\frac{1}{2}$ "	19 $\frac{1}{4}$ "	PEC-1210-18	
PB-12	15 $\frac{1}{4}$ "	19 $\frac{1}{4}$ "	PEC-1311-18 PEC-1411-18	
PB-25	12 $\frac{1}{2}$ "	26 $\frac{1}{2}$ "	PEC-1210-24	
PB-26	15 $\frac{1}{4}$ "	26 $\frac{1}{2}$ "	PEC-1311-24 PEC-1411-24	

### FIXED HEIGHT (20") STYLE "B" STAND

2 1/2" casters (If these stands are to be moved daily between vault and posting or reference area  
heavy duty 4" ball bearing casters are recommended — see Price List)

Stock No.	Overall Width	Overall Length	For Tray No.	Skeleton Construction
PB-85-20	12 $\frac{1}{2}$ "	19 $\frac{1}{4}$ "	PEC-1210-18	
PB-12-20	15 $\frac{1}{4}$ "	19 $\frac{1}{4}$ "	PEC-1311-18 PEC-1411-18	
PB-25-20	12 $\frac{1}{2}$ "	26 $\frac{1}{2}$ "	PEC-1210-24	
PB-26-20	15 $\frac{1}{4}$ "	26 $\frac{1}{2}$ "	PEC-1311-24 PEC-1411-24	

## INDEXES

### ANGULAR METAL TABS

25 point Gray Pressboard — 25 Division A to Z\*

Stock No.	Sheet Size
1210-25	12" x 10 $\frac{1}{8}$ "
1311-25	13" x 11"
1351-25	13 $\frac{1}{2}$ " x 11"
1411-25	14" x 11"

As these indexes are furnished with an EXTRA strip of blank inserts and celluloid facings, they can be easily converted to a numerical system simply by typing the blanks in the sequence desired.

A complete range of other sizes is available and shown in the Duo-Matic or Porta-Matic sections of our catalog.

\*Can be furnished in larger sub-divisions (see Price List)



CABLE ADDRESS: POSTECO

**MEAD-LEE** *Associates, inc.*  
sole distributors for *POSTING EQUIPMENT* corporation

1721 ELMWOOD AVENUE • BUFFALO 7, NEW YORK  
TELEPHONE TR 7-1185 Area Code 716

**PEC-TRONIC POSTING TRAYS**

PRICE LIST No. PL-961

SEPTEMBER 15, 1961

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PEC-1210-18	\$51.00	30 lbs
PEC-1311-18	53.00	31 lbs.
PEC-1411-18	55.00	32 lbs.
PEC-1210-24	56.00	37 lbs.
PEC-1311-24	58.00	38 lbs.
PEC-1411-24	60.00	39 lbs.

**DROP FRONT FILING DRAWER STANDS**

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PF-1218	\$105.00	67 lbs.
PF-1418	110.00	70 lbs.
PF-1224	115.00	79 lbs.
PF-1424	120.00	85 lbs.
PF-8518	105.00	62 lbs.
PF-8524	110.00	75 lbs.
PF-1518	110.00	72 lbs.
PF-1718	120.00	75 lbs.

**NOTE:** These filing drawer stands can also be supplied with conventional heavy duty ratchet follower inclined at an 18° angle to form a posting or reference V. Assembled to order only. At same prices above.

**ADJUSTABLE HEIGHT STYLE "B" STANDS (20" to 30")**

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PB-85	\$38.00	23 lbs.
PB-12	40.00	26 lbs.
PB-25	47.00	30 lbs.
PB-26	49.00	33 lbs.

**NOTE:** For stands equipped with 4" heavy duty ball bearing casters add \$10.00 to above prices.

## FIXED HEIGHT STYLE "B" STANDS (20")

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
PB-85-20	\$32.00	20 lbs.
PB-12-20	34.00	24 lbs.
PB-25-20	41.00	24 lbs.
PB-26-20	43.00	27 lbs.

NOTE: For stands equipped with 4" heavy duty ball bearing casters add \$10.00 to above prices.

## INDEXES 25 DIVISION A-Z\*

STOCK NO.	PRICE	APPROXIMATE CARTONED WEIGHT
1210-25	\$10.50	5 lbs.
1311-25	12.00	5½ lbs.
1351-25	14.00	6 lbs.
1411-25	16.00	6½ lbs.

\*Can be supplied in larger sub-divisions in multiples of 25—for 50 divisions, multiply prices by two; 75 divisions, by three; 100 divisions, by four; etc. (for special sizes, Daily 1 to 31, state, etc. see Special Price List).

## SPECIAL SIZE PEC-TRONIC TRAYS

	Single Tray	Lots 2 to 5	Lots 6 to 11	Lots 12 to 24	Lots 25 or more
12" length at bottom (13½" at top including flanged handles) capacity 1300 ledger sheets — 4 tilt plates	\$60.00	\$53.00	\$48.00	\$44.00	\$41.00
14¾" length at bottom (16" at top including flanged handles) capacity 1600 ledger sheets — 5 tilt plates	65.00	58.00	53.00	49.00	46.00
18¾" length at bottom (19½" at top including flanged handles) capacity 2200 ledger sheets — 7 tilt plates	70.00	63.00	58.00	54.00	51.00
25½" length at bottom (26¾" at top including flanged handles) capacity 3000 ledger sheets — 10 tilt plates	75.00	68.00	63.00	59.00	56.00

ALL PRICES F.O.B. BUFFALO, N. Y.

*All Prices Subject to Change Without Notice*

Printed in U.S.A.